

## **BLANK PAGE**



# Indian Standard PREFERRED CURRENT RATINGS

UDC 621.3.02

@ Copyright 1987

BUREAU OF INDIAN STANDARDS MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 110002

### Indian Standard

#### PREFERRED CURRENT RATINGS

Basic Electrotechnical Standards Sectional Committee, ETDC 1

Representing Chairman Committee. Machinery Sectional SHRI S. G. RAMACHANDRA Rotating ETDC 15, BIS Members SHRI V. K. BATRA National Physical Laboratory (CSIR), New Delhi Low Voltage Switchgear & Controlgear Sectional SHRI V. S. BHATIA Committee, ETDC 57, BIS SHRI M. SESHADRI ( Alternate ) Secondary Cells & Batteries Sectional Committee, SHRI A. DASGUPTA ETDC 11, BIS SHRI B. MUKHOPADHYAY ( Alternate ) Institution of Engineers (India), Calcutta Maj-Gen N. Dayal DIRECTOR STANDARDS (ELECTRICAL) Research Designs & Standards Organization, Lucknow JOINT DIRECTOR STANDARDS (ELECTRICAL)/6 (Alternate) DIRECTOR (TED) Central Electricity Authority, New Delhi DEPUTY DIRECTOR (TED) (Alternate) Power Cables Sectional Committee, ETDC 59, BIS SHRI M. L. DONGRE SHRI M. M. HONAVAR ( Alternate ) Sectional Committee, SHRI A. N. GHOSH Electrical Appliances ETDC 43, BIS Conductors and Accessories for Overhead Lines SHRI R. D. JAIN Sectional Committee, ETDC 60, BIS SHRIK. C. KAUL Bharat Heavy Electricals Ltd, Bhopal SHRI PRAKASH SINGH ( Alternate ) Solid Electrical Insulating Materials Sectional Committee, ETDC 63, BIS SHRI A. S. LARSHMANAN SHRI B. A. GOVINDARAJ ( Alternate ) Industrial Process Measurement and Control SHRI B. C. NAIR Sectional Committee, ETDC 67, BIS High Voltage Switchgear & Controlgear Sectional SHRIH. M. PAT Committee, ETDC 58, BIS

(Continued on page 2)

Central Power Research Institute, Bangalore

#### Copyright 1987

SHRI S. PARAMESWARAN

SHRIMATI SUJATHA SUBHASH ( Alternate )

#### BUREAU OF INDIAN STANDARDS

This publication is protected under the *Indian Copyright Act* (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

#### IS: 11955 - 1987

#### (Continued from page 1)

#### Members

DR A. SIVATHANU PILLAI

SHRI M. P. WAGH

SHRI N. J. BUCH ( Alternate )
SHRI D. N. PURANDARE

SHRI S. JHAVERI (Alternate)
SHRI K. V. RAMAMURTHY
MAJ J. C. PANT (Alternate)
SHRI P. S. SAWHNEY
SHRI V. B. BILATIA (Alternate)
SHRI B. S. SHARMA

SHRI J. V. VAIDYA (Alternate)
SHRI S. P. SACHDEV,
Director (Elec tech) (Secretary)

#### Representing

Electrical Research & Development Association, Vadodara

Electrical Wiring Accessories Sectional Committee, ETDC 44, BIS

Ministry of Defence (DGI)

Transformers Sectional Committee, ETDC 16, BIS

Relays Sectional Committee, ETDC 35, BIS Indian Electrical & Electronics Manufacturers' Association, Bombay

Director General, BIS ( Ex-officio Member )

# Indian Standard PREFERRED CURRENT RATINGS

#### · 0. FOREWORD

- **0.1** This Indian Standard was adopted by the Indian Standards Institution on 27 March 1987, after the draft finalized by the Basic Electrotechnical Standards Sectional Committee had been approved by the Electrotechnical Division Council.
- **0.2** Over the last two decades, there had been a significant amount of natural standardization on the matter of preferred current ratings for electrical equipment and conductors in electrical installations. Equipment standards in the relevant clauses almost invariably specify the preferred current ratings considered as standard for the purposes. These standards also allow the desired degree of flexibility to choose alternate values to those specified where there may exist specific situations to warrant them.
- **0.3** The primary objective of this standard is to summarize the current ratings considered as standard in the country as given in various specifications so as to form a guide on all such matters. For a given voltage ratings, the series of values of current rating provided would give a general idea of incremental power ratings available for any application.
- **0.4** It may, however, be noted that the actual choice of steps for any specific equipment may vary depending on the type of equipment, their use or other considerations. Several factors go into the selection of the steps. The primary amongst them being the inherent standardization of the size of equipment over the years, which may even provide a good basis for choosing slightly different values than that specified in this standard. Individual equipment committees, while specifying preferred current ratings for a specific equipment may therefore adopt the values given herein, and where relevant specify reasons, if any, for departures made.
- **0.5** The standard current ratings specified in this standard are those fixed by the International Electrotechnical Commission, in accordance with the principles formulated by ISA Standard 32 'Standard Numbers' which was adopted by the International Federation of the National Standardising Associations at Stockholm in 1934.

#### IS: 11955 - 1987

0.6 For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test, shall be rounded off in accordance with IS: 2-1960\*. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

#### 1. SCOPE

1.1 This standard covers standard current ratings for electrical equipment and conductors in installations.

#### 2. STANDARD CURRENT RATINGS

2.1 For any particular type of equipment and current carrying conductor, the ratings shall be selected from the values given below:

1	1.25	1.6	2	2	5 3.15	5 4	5	6.3	8
10	12.5	16	20	25	31.2	40	50	63	80
100	125	160	200	250	315	400	500	630	800
1 000	1 250	1 600	2000	2 500	3 150	4 000	5 000	6300	8 000
10 000									

Note — The steps may vary according to equipments concerned depending on their use or their properties. The selection of the values to be adopted should be considered in each case on its merits and it may be found that there are good grounds for choosing 1.5-3-6-7.5 instead of 1.6-3.15-6.3-8 as well as their multiples of 10, 100, 1000.......

<sup>\*</sup>Rules for rounding off numerical values (revised).